

CONTRA COSTA COUNTY EMERGENCY MEDICAL SERVICES			MASTER			[Eff. 01/01/2022]													
ITEM DESCRIPTION	BLST	BLSNT			ALST			ALSNT			CCT			HELO					
A. AIRWAY MANAGEMENT	BLST	QTY	UOM	BLSNT	QTY	UOM	ALST	QTY	UOM	ALSNT	QTY	UOM	CCT	QTY	UOM	HELO	QTY	UOM	
Oropharyngeal airways: 00, 0, 1, 2, 3, 4, 5, 6 (40mm, 50mm, 60mm, 70mm, 80mm, 90mm, 100mm, 110mm)	X	1	ea	X	1	ea	X	1	ea	X	1	ea							
Nasopharyngeal airways: 18, 20, 22, 24, 26, 28, 30, 32, 34	X	1	ea	X	1	ea	X	1	ea	X	1	ea							
Non-Rebreather Masks (Adult)	X	2		X	2		X	2		X	2								
Non-Rebreather Masks (Pediatric)	X	2		X	2		X	2		X	2								
Non-Rebreather Masks (Infant)	X	2		X	2		X	2		X	2								
Nasal cannula (Adult)	X	2		X	2		X	2		X	2								
Nasal cannula (Pediatric)	X	2		X	2		X	2		X	2								
O ₂ tank – vehicle mounted (M-tank with at least 500 PSI)	X	1		X	1		X	1		X	1								
O ₂ tank (portable) (D or E size with at least 500 PSI)	X	1			1		X	1			1								
Oxygen Regulator (capable of delivering flow rates from 2-25 lpm)	X	1		X	1		X	1		X	1								
Self-inflating resuscitation Bag-Valve device, with clear mask, capable of use with O ₂ : adult, pediatric and infant	X	1	ea	X	1	ea	X	1	ea	X	1	ea							
Portable Suction with regulator OR Portable suction with adult/pediatric (e.g., high/low) settings	X	1		X	1		X	1		X	1								
Wide bore tubing for portable suction	X	2		X	2		X	2		X	2								
Suction catheters (soft): 6F, 8FR, 10FR, 18FR	X	1	ea	X	1	ea	X	1	ea	X	1	ea			t5tr54				
Pharyngeal tonsil tip (rigid) for suctioning	X	2		X	2		X	2		X	2								
Water soluble lubricant – individual packets	X	2	ea	X	2	ea	X	3	ea	X	3	ea							
Pulse oximeter (adult & pediatric probes)	X	2	ea	X	2	ea	X	2	ea	X	2	ea							
B. TRAUMA	BLST	QTY	UOM	BLSNT	QTY	UOM	ALST	QTY	UOM	ALSNT	QTY	UOM	CCT	QTY	UOM	HELO	QTY	UOM	
Quik-Clot (3x4 gauze dressing)	X			X			X			X									
Band-Aids	X	10		X	10		X	10		X	10								
4x4" non-sterile bandage compresses or equivalent	X	50		X	50		X	50		X	50								
4x4" sterile gauze pads	X	12		X	12		X	12		X	12								
3" rolled bandages (Kling, Kerlix, etc)	X	4		X	4		X	4		X	4								
40" triangular bandages	X	2		X	2		X	2		X	2								
10x30" or larger universal dressing	X	2		X	2		X	2		X	2								
1" or 2" adhesive tape	X	2		X	2		X	2		X	2								
Shears	X	1		X	1		X	1		X	1								
Chest seal (e.g., Asherman, Halo, Sam)	X	2		X	2		X	2		X	2								
Arm splints – with soft or cushioned surface (must be able to accommodate adult/pediatric/infants)	X	2		X	2		X	2		X	2								
Leg splints – with soft or cushioned surface (must be able to accommodate adult/pediatric/infants)	X	2		X	2		X	2		X	2								
Traction splints – Adult/Pediatric	X	1		X	1		X	1		X	1								
Vacuum Splint (full body)							X	1											
Xray translucent spineboard	X	1		X	1		X	1		X	1								
Spineboard padding	X	1		X	1		X	1		X	1								
Spineboard Patient Securing System (e.g., long strap, spider strap, etc).	X	1		X	1		X	1		X	1								
Kendrick Extrication Device (KED)	X	1		X	1		X	1		X	1								
Head immobilizer – disposable or impervious to bodily fluids	X	2		X	2		X	2		X	2								

Cervical collars (<i>sizes to fit all patients over one (1) year of age</i>)	X	2		X	2		X	2		X	2								
Scoop stretcher with straps (or equivalent)	X	1					X	1											
Combat Tourniquet approved by COTCCC ¹ (<i>e.g., C-A-T® or Sof-T</i>)	X	1		X	1		X	1		X	1								
Triage tags	X	20		X	20		X	20		X	20								
C. GENERAL EQUIPMENT	BLST	QTY	UOM	BLSNT	QTY	UOM	ALST	QTY	UOM	ALSNT	QTY	UOM	CCT	QTY	UOM	HELO	QTY	UOM	
Blood pressure cuffs with sphygmomanometers (portable): Adult, Large arm, Pediatric, Infant	X	1	ea	X	1	ea	X	1	ea	X	1	ea							
Stethoscope: Adult/Pediatric (or combination)	X	1	ea	X	1	ea	X	1	ea	X	1	ea							
Sterile burn sheets	X	1	set	X	1	set	X	1	set	X	1	set							
Sterile saline for wound irrigation	X	2000	cc	X	2000	cc	X	2000	cc	X	2000	cc							
Cold packs	X	6		X	6		X	6		X	6								
Glucometer	X	1		X	1		X	1		X	1								
Glucometer test strips	X	10		X	10		X	10		X	10								
Thermometer (electronic)	X	1		X	1		X	1		X	1								
Obstetrical Kit (sterile, to include minimum of umbilical cord tape or clamps (2), 1 scissors or scalpel, 1 aspirating bulb syringe, 1 pair gloves, 2 drapes, dressings & towels, clean plastic bag)	X	1		X	1		X	1		X	1								
Newborn Stocking Cap	X	1		X	1		X	1		X	1								
Emergency thermal blanket (reflective foil)	X	2		X	2		X	2		X	2								
Stairchair	X	1					X	1											
Ambulance gurney – capability for elevating the head and be adjustable, straps for securing patient to gurney, no	X	1					X	1											
Automated External Defibrillator (AED)	X	1		X	1														
Razor	X	2		X	2		X			X									
Defibrillator pads (adult & pediatric)							X	1	ea	X	1	ea							
AED pads (adult & pediatric)	X	1	ea	X	1	ea	X	1	ea	X	1	ea							
Chest compression metronome (<i>must provide auditory and visual indicator at rate of 120. Cardiac monitors and</i>	X	1		X	1		X	1		X	1								
Ankle and wrist restraints (4 per set)	X	1	set				X	1	set										
Ambulance child restraint system for securing children to gurney (<i>e.g. , Pedi Mate</i>)	X	1					X	1											
Flashlight (battery operated with set of spare batteries)	X	1		X	1		X	1		X	1								
Emesis basin or disposable emesis bags and covered waste container	X	1					X	1											
Linen – towels, sheets, pillow cases, blankets, pillows	X	2	ea				X	2	ea										
Pen light	X	1		X	1		X	1		X	1								
Fire Extinguisher (10-B:C)	X	1					X	1											
D. GENERAL ALS EQUIPMENT	BLST	QTY	UOM	BLSNT	QTY	UOM	ALST	QTY	UOM	ALSNT	QTY	UOM	CCT	QTY	UOM	HELO	QTY	UOM	
Monitor/defibrillator (portable) – must have strip chart recorder, 12-lead, synchronized cardioversion, ETCO2 monitoring , pulse oximetry monitoring, pacing capability and be compatible with the Lifenet Data Management System. Defibrillator capable of discharging below 25 joules for pediatric use.							X	1		X	1								
Extra charged batteries for monitor/defibrillator							X	1	ea	X	1	ea							
Electrodes							X	20	ea	X	20	ea							
Laryngoscope handle							X	1		X	1								
Non-invasive End-Tidal CO ₂ (cannula)							X	2		X	2								
Non-invasive End-Tidal CO ₂ adapter (ETT)							X	1		X	1								
Laryngoscope blades: 0, 1, 2, 3 & 4 (Miller)							X	1	ea	X	1	ea							
Laryngoscope blades: 2, 3 & 4 (Macintosh)							X	1	ea	X	1	ea							

Endotracheal tubes: 6.0, 7.0, 8.0, 9.0 cuffed							X	1	ea	X	1	ea							
Endotracheal tube introducer (Bougie)							X	1		X	1								
Stylet							X	1		X	1								
ETT securing device							X	2		X	2								
Batteries for laryngoscope							X	1	set	X	1	set							
Bulbs for laryngoscope							X	1		X	1								
Magill forceps (adult & pediatric)							X	1	ea	X	1	ea							
iGel S.A.D. Kit (Size 3, 4 & 5)							X	1	ea	X	1	ea							
Pleural Decompression/Needle Thoracostomy kit							X	2	set	X	2	set							
Thoracostomy needle – 14g 3.25 inch							X	2		X	2								
Continuous Positive Airway Pressure (CPAP) device (small, medium & large)							X	1	ea	X	1	ea							
E. MEDICATIONS	BLST	QTY	UOM	BLSNT	QTY	UOM	ALST	QTY	UOM	ALSNT	QTY	UOM	CCT	QTY	UOM	HELO	QTY	UOM	
Acetaminophen (10mg/10cc)							X	1000	mg	X	1000	mg							
Adenosine							X	18	mg	X	18	mg							
Albuterol (2.5mg/3ml unit dose ampule)							X	4	ea	X	4	ea							
Amiodarone (150mg/3ml ampule)							X	3	ea	X	3	ea							
Aspirin (81mg tablets)							X	168	mg	X	168	mg							
Atropine (1mg preload)							X	2	ea	X	2	ea							
Calcium Chloride							X	1	gm	X	1	gm							
Dextrose 10% (250 ml)							X	2	ea	X	2	ea							
Diphenhydramine (Benadryl)							X	100	mg	X	100	mg							
Epinephrine 1:1,000 (1mg/1cc)							X	2	ea	X	2	ea							
Epinephrine 1:10,000 (1mg/10cc)							X	6	ea	X	6	ea							
Epinephrine Auto-injector Adult (0.3mg)	X	1		X	1														
Fentanyl (50 mcg/ml)							X	200	mcg	X	200	mcg							
Glucagon (1mg/1cc)							X	1	ea	X	1	ea							
Ketamine (50mg/mL vial)							X	500	mg	X	500	mg							
Lidocaine 2%							X	100	mg	X	100	mg							
Midazolam (Versed) (ampule)							X	10	mg	X	10	mg							
Naloxone (Narcan) (ampule)							X	4	mg	X	4	mg							
Naloxone (Narcan) (IN preload)	X	4	mg	X	4	mg													
Nitroglycerin (0.4 mg/tab or multidose spray)							X	2	mg	X	2	mg							
Ondansetron (Zofran) (ODT)							X	8	mg	X	8	mg							
Ondansetron (Zofran) (vial)							X	8	mg	X	8	mg							
Pediatric Epinephrine Auto-injector (0.15mg)	X	1		X	1														
Saline solution (normal) (100cc)							X	2		X	2								
Saline solution (normal) (500cc or 1000cc)	X	2	liter	X	2	liter	X	4	liter	X	4	liter							
Sodium Bicarbonate (50mEq/50cc)							X	1		X	1								
Tranexamic Acid (1g/10ml)							X	2		X	2								
F. MEDICATION ADMINISTRATION	BLST	QTY	UOM	BLSNT	QTY	UOM	ALST	QTY	UOM	ALSNT	QTY	UOM	CCT	QTY	UOM	HELO	QTY	UOM	
Pedi-Tape®							X	1		X	1								
Mucosal Atomizer Device	X			X			X	2		X	2								
Glucose Paste	X	30	gm	X	30	gm	X	30	gm	X	30	gm							

Alcohol prep pads	X	10		X	10		X	10		X	10								
Chlorhexidine wipes (<i>may be included in IV start paks</i>)	X	5		X	5		X	20		X	20								
IV catheters: 16g, 18g, 20g, 22g, 24g							X	2	ea	X	2	ea							
Saline lock with extension tubing							X	2		X	2								
IV tubing: macro-drip (10/15gtt)							X	2		X	2								
IV tubing: mini-drip (60gtt)							X	2		X	2								
IV extension tubing							X	2		X	2								
IV tubing with vented port							X	2		X	2								
ETT Nebulizer Adapter							X	2		X	2								
Syringes: 1cc, 3cc, 5cc, 10cc, 20cc							X	2	ea	X	2	ea							
Needles: 18g, 20g, 22g, 24 or 25g							X	2	ea	X	2	ea							
Universal vial adapter/dispensing pin							X	2		X	2								
Wristbands - green (Tranexamic Acid)							X	5		X	5								
Labels: Medication Added							X	2		X	2								
Elastic tourniquet band							X	2		X	2								
Hand-held nebulizer for inhalation							X	2		X	2								
Nebulizer mask (adult & pediatric)							X	2	ea	X	2	ea							
IO insertion device (EZ-IO)							X	1		X	1								
Intraosseous needle – 15mm (pink); 25mm (blue); 45mm (yellow)							X	1	ea	X	1	ea							
IO-Stabilizer							X	1		X	1								
Pressure bag for adult IO							X	2		X	2								
Armboard(s) (adaptable for infant, child & adult)							X	1	ea	X	1	ea							
Sharps container (<i>must be capable of holding used Auto-Injector</i>)	X	1		X	1		X	1		X	1								
G. PPE	BLST	QTY	UOM	BLSNT	QTY	UOM	ALST	QTY	UOM	ALSNT	QTY	UOM	CCT	QTY	UOM	HELO	QTY	UOM	
Hospital grade bleach wipes	X	1					X	1											
Bactericidal hand wipes	X	1		X	1		X	1		X	1								
Face shield	X	2		X	2		X	2		X	2								
N95, N100 or P100	X	4		X	4		X	4		X	4								
Nitrile non-sterile exam gloves (S, M, L, XL)	X	1	ea	X	1	ea	X	1	ea	X	1	ea							
Hard hat (each crew member)	X	1	ea				X	1	ea										
Goggles (each crew member)	X	1	ea				X	1	ea										
H. COMMUNICATIONS & NAVIGATION	BLST	QTY	UOM	BLSNT	QTY	UOM	ALST	QTY	UOM	ALSNT	QTY	UOM	CCT	QTY	UOM	HELO	QTY	UOM	
County approved EBRCS radio (<i>programmed to CCCEMS fleetmap</i>)	X	1		X	1		X	1		X	1								
Cellular telephone	X	1		X	1		X	1		X	1								
GPS mapping device associated with vehicle	X	1		X	1		X	1		X	1								
Current Contra Costa EMS Field Manual and policies – printed or electronic version approved on devices associated with vehicle	X	1		X	1		X	1		X	1								
I. DOCUMENTS	BLST	QTY	UOM	BLSNT	QTY	UOM	ALST	QTY	UOM	ALSNT	QTY	UOM	CCT	QTY	UOM	HELO	QTY	UOM	
California Physician on Scene Card (EMSA 8 49638)	X	1					X	1											
California Suspected Child Abuse Report (SS 8572)	X	1		X	1		X	1		X	1								
CPR HD Script	X	1		X	1		X	1		X	1								

NOTES:

*All medications or equipment with a "use by" dates must be within its expiration dates

**EBRCS must be programmed to current approved CCCEMS fleetmap

**Sterile equipment must be sealed with its outer wrapper in good condition