

Safety Data Sheet



Shell Catalysts & Technologies

According to OSHA Hazard Communication Standard, 29
CFR 1910.1200

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

SECTION 1. IDENTIFICATION

Product Name : **WIDE PORE ALUMINA POWDER**

SDS Number : 5021

Manufacturer or supplier's details

Manufacturer/Supplier : Shell Catalysts & Technologies LP
Shell Technology Center Houston
3333 Highway 6 South
Houston, TX 77082 (USA)
+1 281-544-8888

Email contact for SDS : product.steward@shell.com

Emergency Telephone Number

: CHEMTREC (US): +1-800-424-9300

CHEMTREC (International): +1-703-527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Inert support for catalyst manufacture.

SECTION 2: Hazards identification

GHS Classification

Not classified as dangerous under GHS criteria.

GHS label elements

Hazard pictograms : No Hazard Symbol required

Signal Word : **No signal word**

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

WIDE PORE ALUMINA POWDER

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

Hazard statements : **Physical hazards**
Not classified as dangerous under GHS criteria.
Does not present a hazard under most emergency situations.
Health Hazards
None
Environmental Hazards:
None

Precautionary Statements : **Prevention**
None
Response
None
Storage
None
Disposal
None

SECTION 3: Composition/information on ingredients

Chemical nature : Boehmite Alumina

Substance / Mixture : Substance

Chemical Name	Classification	Hazard Statement	Concentration
Boehmite (aluminum oxide hydroxide) Synonyms: AlO(OH) CAS: 1318-23-6	Not classified as dangerous under GHS criteria.	Not applicable	100%

SECTION 4: First aid measures

General Information : Not expected to be a health hazard when used under normal conditions.

Protection of first-aiders : When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.

First aid measures for different exposure routes

In case of eye contact : Immediately flush eye(s) with plenty of water. Remove contact

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

WIDE PORE ALUMINA POWDER

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

- lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, get medical attention.
- In case of skin contact : Remove contaminated clothing. If persistent irritation occurs, get medical attention.
- If inhaled : No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
- If swallowed : In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
- Most important symptoms and effects, both acute and delayed : No specific hazards under normal use conditions. Eye irritation signs and symptoms may include a burning sensation, redness, swelling, and/or blurred vision. Skin irritation signs and symptoms may include a burning sensation, redness, swelling, and/or blisters. Possible respiratory irritation signs and symptoms may include a temporary burning sensation of the nose and throat, coughing, and/or difficulty breathing. Ingestion may result in nausea, vomiting and/or diarrhoea. See also section 2 and section 11 for the most important symptoms and effects.
- Notes to physician : Call a doctor or poison control center for guidance. Treat symptomatically.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

WIDE PORE ALUMINA POWDER

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

SECTION 5: Firefighting measures

- Suitable Extinguishing Media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment (e.g. water spray, foam, carbon dioxide).
- Unsuitable Extinguishing Media : There are no limitations of extinguishing media for this substance/ mixture.
- Specific extinguishing methods : Standard procedure for chemical fires. Clear fire area of all non-emergency personnel. Keep adjacent containers cool by spraying with water. All storage areas should be provided with adequate fire fighting facilities.
- Specific hazards during firefighting : No specific hazards. Will not burn or support combustion. Ambient fire may liberate hazardous vapours.
- Advice for fire-fighters : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment (e.g. water spray, foam, carbon dioxide).
- Special protective equipment for firefighters : Wear full protective clothing and a NIOSH approved self-contained breathing apparatus if material is in fire area.
-

SECTION 6: Accidental release measures

- Personal precautions, protective equipment and emergency procedures : Avoid dust generation. Do not inhale dust. Wear gloves, goggles, protective clothing and respiratory protection to avoid exposure. For guidance on selection of personal protective equipment see Chapter 8. Observe emergency procedures. Evacuate not-required personnel to safe areas. If necessary, consult an expert.
- Environmental Precautions : Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with an electrically protected vacuum cleaner or Shovel up and place in a labeled, sealable container for subsequent safe disposal (see section 13). Observe possible material restrictions (see section 10).

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

WIDE PORE ALUMINA POWDER

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

Additional Advice : For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet. For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

Handling

General Precautions : Avoid breathing of or direct contact with material. Only use in well ventilated areas. Wash thoroughly after handling. For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet.

Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.

Ensure that all local regulations regarding handling and storage facilities are followed.

Product Transfer : Keep container tightly closed and dry.

Precautions for safe handling : Handle and open container with care in a well-ventilated area. Do not empty into drains.

Storage

Conditions for safe storage : Dry. Tightly closed. Keep in well-ventilated place. Do not store together with combustible or fire supporting materials. Consume opened container immediately. Use only non-flammable containers that can be tightly sealed. Store in an area only accessible to authorized or qualified persons.

Incompatibilities : For guidance of incompatible substance or mixture see section 10.

Specific End Uses : Apart from the uses mentioned in section 1 no other specific end uses are stipulated.

SECTION 8: Exposure controls/personal protection

Components with workplace control parameters

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

WIDE PORE ALUMINA POWDER

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

- Biological occupational exposure limits : No biological limit allocated.
- Monitoring Methods : Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate. Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory. Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available. National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods <http://www.cdc.gov/niosh/> Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods <http://www.osha.gov/> Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances <http://www.hse.gov.uk/> Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA) , Germany <http://www.dguv.de/inhalt/index.jsp> L'Institut National de Recherche et de Sécurité, (INRS), France <http://www.inrs.fr/accueil>
- Engineering Controls: : Technical measures and appropriate working operations should be given priority over the use of personal protective equipment! Use sealed systems as far as possible. Local exhaust ventilation is recommended. Eye washes and showers for emergency use have to be present. Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping. Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

WIDE PORE ALUMINA POWDER

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Thermal Hazards : Not applicable

Personal Protective Equipment

Respiratory Protection



: In case of insufficient ventilation, use either an atmosphere-supplying respirator or an air-purifying respirator for particulates (acc. to EN136/140 or comparable standards). Use a filter type P3 (acc. to EN143 or comparable standard).

Eye Protection



: Dust-tight safety goggles according to EN166 or NIOSH(US)-standard.

Hand Protection



: Nitrile rubber gloves (Glove thickness : min. 0.11 mm, Break through time: >480 min.) For example: ANSELL TNT (TM) BLUE 92-670 Nitrile gloves, The protective gloves must be comply with the specifications mentioned in EC Directive 89/686/EEC and the related standard EN 374. Provide employee skin care programmes.

Skin and Body Protection



: Protective clothing which cover the skin and approved to EU Standard EN14605 or other comparable Standards. Provide employee skin care programmes.

Protective Measures

: The provided information is made in consideration of the PPE directive (89/686/EEC) and the European Committee for Standardisation (CEN) standards. Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Hygiene Measures:

: Wash hands before eating, drinking, smoking and using the toilet. Launder contaminated clothing before re-use.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

WIDE PORE ALUMINA POWDER

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

SECTION 9: Physical and chemical properties

Appearance	: Solid
Color	: White
Odour	: Odourless
Odour threshold	: Not applicable
pH	: Not applicable
Melting point	: No information available.
Initial Boiling Point and Boiling Range	: No information available.
Flash point	: Not applicable
Evaporation Rate	: Not applicable - (solid with no measurable vapour pressure)
Flammability (solid, gas)	: Not flammable
Upper / lower Flammability or Explosion limits	: Not applicable
Vapor Pressure	: No measurable vapour pressure
Vapor Density	: Not applicable
Relative density	: No information available.
Solubility(ies)	: @ 20 ° C Insoluble in water
Partition coefficient (n-octanol/water)	: Not applicable
Auto-ignition temperature	: No auto-ignition
Decomposition temperature	: No information available.
Viscosity	: Not applicable

Other Information

Bulk density (solids): : 0.25 g/cm³

SECTION 10: Stability and reactivity

Reactivity	: Further dangerous reactions in addition to those mentioned in the below sub-sections are not expected while handling the product in accordance to its intended use.
Chemical Stability	: Stable under normal ambient temperature and pressure (-50°C to +50°C; 1013hPa) during storage in original containment. Hygroscopic!
Hazardous Reactions	: Risk of formation of dangerous gases or strong exothermic reactions with: strong acids, strong bases. All self-reactive substances, if the decomposition reaction of these substances is accelerated/ promoted by a high surface area.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

WIDE PORE ALUMINA POWDER

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

Conditions to Avoid	: Avoid excessive temperatures (>50°C), excessive exposure to air, sparks, open flames or other ignition sources. Humidity.
Incompatible materials	: Strong acids, strong bases. All self-reactive substances, if the decomposition reaction of these substances is accelerated/ promoted by a high surface area.
Hazardous Decomposition Products	: Does not decompose when used for intended uses. Also see section 5.

SECTION 11: Toxicological information

Basis for Assessment : Based on available data, the classification criteria are not met

Chronic toxicity

Germ cell mutagenicity

Non mutagenic Based on available data, the classification criteria are not met.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

WIDE PORE ALUMINA POWDER

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

Carcinogenicity:

Not a carcinogen.

Based on available data, the classification criteria are not met.

Reproductive Toxicity

Product

Does not impair fertility. Based on available data, the classification criteria are not met.

STOT - single exposure

Product

No information available.

STOT - repeated exposure

Product

No information available.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Neurological effects

No information available.

Further information

Product

Aluminum and aluminum compounds are not considered to be carcinogenic or mutagenic to humans or carcinogenic to animals. Aluminum and aluminum compounds have low acute toxicity potential and may cause CNS, liver, kidney and cardiovascular effects in animals. Developmental toxicity was seen in animals following intraperitoneal injection. Mutagenicity studies in animals gave mixed results.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

WIDE PORE ALUMINA POWDER

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

SECTION 12: Ecological information

Basis for Assessment : Ecotoxicological data have not been determined specifically for this material. The information given below is based on knowledge of the components and the ecotoxicology of similar products.

Ecotoxicity

Product

Toxicity to fish (Acute toxicity) : No information available.

Toxicity to daphnia and other aquatic invertebrates (Acute toxicity) : No information available.

Toxicity to algae (Acute toxicity) : No information available.

Toxicity to microorganisms (Acute toxicity) : No information available.

Acute Toxicity - Other Organisms : No information available.

Persistence and degradability

Product

Biodegradability : Methods for the determination of biodegradability are not applicable to inorganic substances/ mixtures.

Bioaccumulative potential

Product

Bioaccumulation : Ko/w: not applicable to inorganic substances/mixtures

Mobility in soil

Product

Mobility : Sinks in water. If product enters soil, one or more constituents will be mobile and may contaminate groundwater.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

WIDE PORE ALUMINA POWDER

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

Results of PBT and vPvB assessment

Product

Assessment : In accordance to Annex XIII of regulation (EC) 1907/2006 a PBT/vPvB assessment shall not be conducted for inorganic substances.

Other Adverse Effects

Product

Additional ecological information : Discharge into the environment must be avoided due to the potential dangerousness for drinking water supplies.

SECTION 13: Disposal considerations

- Product disposal:** Recover or recycle, if possible. Otherwise: Send to an approved contractor for regeneration or metal recovery or dispose with a licensed disposal contractor.
- Waste Disposal:** It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations.
Do not dispose into the environment, in drains or in water courses
Waste product should not be allowed to contaminate soil or water.
- Container Disposal** Empty containers may contain residues. Ensure container is properly cleaned. Remove all packaging for recovery or waste disposal. DO NOT USE CONTAINER FOR OTHER PURPOSES.
- Regulatory Controls:** Comply with applicable regional, national, and local laws and regulations about the handling and disposal of wastes.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

WIDE PORE ALUMINA POWDER

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

SECTION 14: Transport information

National Regulations

**U. S. A. - DEPARTMENT OF TRANSPORTATION (DOT)
49 CFR**

Not regulated by DOT (USA).

Maritime transportation

IMO

Not dangerous for conveyance under IMO codes.

Air transport

ICAO/IATA

Not dangerous for conveyance under IATA/ICAO codes.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

The components of this product are reported in the following inventories:

National Authority	Country	Status
EINECS/ELINCS	EC	Listed
TSCA	USA	Listed
MITI	Japan	Listed
DSL/NDSL	Canada	Listed
KECI	Korea	Listed
AICS	Australia	Listed
PICCS	Philippines	Listed
TCSI	Taiwan	All ingredients listed.

Superfund Amendments and Reauthorization Act (SARA)

SARA 311/312 Classification:

Not hazardous by SARA criteria.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

WIDE PORE ALUMINA POWDER

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

SECTION 16: Other information

Further information

Indication of changes

Amendments from the previous version of the SDS are indicated by two vertical bars in the left margin and the section is highlighted.

Abbreviations and Acronyms

ACGIH = American Conference of Governmental Industrial Hygienists
ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road
AICS = Australian Inventory of Chemical Substances
BEL = Biological exposure limits
CAS = Chemical Abstracts Service
CEFIC = European Chemical Industry Council
CLP = Classification Packaging and Labelling
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
DSL = Canada Domestic Substance List
EC = European Commission
EC50 = Effective Concentration fifty
ECETOC = European Center on Ecotoxicology and Toxicology Of Chemicals
ECHA = European Chemicals Agency
EINECS = The European Inventory of Existing Commercial Chemical Substances
EL50 = Effective Loading fifty
ENCS = Japanese Existing and New Chemical Substances Inventory
EWC = European Waste Code
GHS = Globally Harmonised System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer
IATA = International Air Transport Association
IC50 = Inhibitory Concentration fifty
IL50 = Inhibitory Level fifty
IMDG = International Maritime Dangerous Goods
IECSC = Inventory of Existing Chemical Substances in China
KECI = Korea Existing Chemicals Inventory
LC50 = Lethal Concentration fifty
LD50 = Lethal Dose fifty per cent.
LL/EL/IL = Lethal Loading/Effective Loading/Inhibitory loading
LL50 = Lethal Loading fifty
MARPOL = International Convention for the Prevention of Pollution From Ships
NOEC/NOEL = No Observed Effect Concentration / No Observed Effect Level
OE_HP V = Occupational Exposure - High Production Volume

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

WIDE PORE ALUMINA POWDER

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

PBT = Persistent, Bioaccumulative and Toxic
PICCS = Philippine Inventory of Chemicals and Chemical Substances
PNEC = Predicted No Effect Concentration
REACH = Registration Evaluation And Authorisation Of Chemicals
RID = Regulations Relating to International Carriage of Dangerous Goods
by Rail
SKIN_DES = Skin Designation
STEL = Short term exposure limit
TRA = Targeted Risk Assessment
TSCA = US Toxic Substances Control Act
TWA = Time-Weighted Average
vPvB = very Persistent and very Bioaccumulative
MFSU = Manufacture, Formulation, Supply & Use
Kow = Partition coefficient (n-octanol/water)

Key literature references and sources for data

The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, UN Purple book, Ariel, EU IUCLID date base, EC 1272 regulation, etc).

Date of first issue 05/25/2015

Revision Date 03/11/2021

Date of last issue 01/17/2023

Version: 03

Country/Language US-English

Uses and Restrictions

Use as a raw material/intermediate for catalyst manufacture, as a catalyst for refinery processing or for petrochemicals manufacture.

Training advice

The information in this document should be made available to all who may handle the product. Provide adequate information, instruction and training for operators.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

WIDE PORE ALUMINA POWDER

Version: 03

Revised On: 03/11/2021

Print Date: 01/17/2023

SDS Prepared By

Shell Catalysts & Technologies LP
Shell Technology Center Houston
3333 Highway 6 South
Houston, TX 77082 (USA)
+1 281 474 0600 (USA CST)
product.steward@shell.com

Disclaimer

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not, therefore, be construed as guaranteeing any specific property of the product.